

ATVA 2023 · 25 October 2023

# pymwp: A Static Analyzer Determining Polynomial Growth Bounds

Clément Aubert<sup>1</sup>, Thomas Rubiano<sup>2</sup>, **Neea Rusch**<sup>1</sup>, and Thomas Seiller<sup>2,3</sup>

<sup>1</sup> Augusta University

<sup>2</sup> Laboratoire d'Informatique de Paris-Nord

<sup>3</sup> CNRS



```
void main(int x1, int x2, int x3)
{
    while(x1 < 10){
        x1 = x2 + x3;
    }
    // x1'  x2'  x3'
}
```

$\forall n$ , is  $X_n \rightsquigarrow X'_n$  polynomially bounded in inputs?



```
void main(int x1, int x2, int x3)
{
    while(x1 < 10){
        x1 = x2 + x3;
    }
    // x1'  x2'  x3'
}
```

Yes, here is a bound:

$$x1' \leq \max(x1, x2+x3)$$

$$\wedge x2' \leq x2$$

$$\wedge x3' \leq x3$$

# mwp-flow analysis

Calculus for resource analysis of imperative programs.

0 – no dependency

$m$  – maximal (of linear)

$w$  – weak polynomial

$p$  – polynomial

while( $x_1 < 10$ )

$x_1 = x_2 + x_3$

$$\begin{pmatrix} m & 0 & 0 \\ p & m & 0 \\ m & 0 & m \end{pmatrix}$$

# mwp-flow analysis

Calculus for resource analysis of imperative programs.

0 – no dependency

$m$  – maximal (of linear)

$w$  – weak polynomial

$p$  – polynomial

while( $x_1 < 10$ )

$x_1 = x_2 + x_3$

$$\begin{pmatrix} m & 0 & 0 \\ m & m & 0 \\ p & 0 & m \end{pmatrix} \quad \begin{pmatrix} m & 0 & 0 \\ p & m & 0 \\ m & 0 & m \end{pmatrix} \quad \begin{pmatrix} m & 0 & 0 \\ w & m & 0 \\ w & 0 & m \end{pmatrix}$$

# Automating mwp

Internalize non-determinism

while( $x_1 < 10$ )

$x_1 = x_2 + x_3$

$$\begin{pmatrix} m & 0 & 0 \\ m & m & 0 \\ p & 0 & m \end{pmatrix} \quad \begin{pmatrix} m & 0 & 0 \\ p & m & 0 \\ m & 0 & m \end{pmatrix} \quad \begin{pmatrix} m & 0 & 0 \\ w & m & 0 \\ w & 0 & m \end{pmatrix}$$



$$\begin{pmatrix} m & 0 & 0 \\ m \cdot \delta(0,0) + p \cdot \delta(1,0) + w \cdot \delta(2,0) & m & 0 \\ p \cdot \delta(0,0) + m \cdot \delta(1,0) + w \cdot \delta(2,0) & 0 & m \end{pmatrix}$$

# Automating mwp

Handle derivation failure

$0, m, w, p, \infty$

$\infty$  - non-polynomial / failure

while( $x_1 < 10$ )

$x_1 = x_2 + x_3$

$$\begin{pmatrix} m & 0 & 0 \\ m & m & 0 \\ p & 0 & m \end{pmatrix} \xrightarrow{\quad} \begin{pmatrix} m & 0 & 0 \\ p & m & 0 \\ m & 0 & m \end{pmatrix} \xrightarrow{\quad} \begin{pmatrix} m & 0 & 0 \\ w & m & 0 \\ w & 0 & m \end{pmatrix}$$



$$\begin{pmatrix} m + \infty \cdot \delta(0,0) + \infty \cdot \delta(1,0) & 0 & 0 \\ \infty \cdot \delta(0,0) + \infty \cdot \delta(1,0) + w \cdot \delta(2,0) & m & 0 \\ \infty \cdot \delta(0,0) + \infty \cdot \delta(1,0) + w \cdot \delta(2,0) & 0 & m \end{pmatrix}$$



```
void main(int x1, int x2, int x3)
{
    while(x1 < 10){
        x1 = x2 + x3;
    }
    // x1'  x2'  x3'
}
```

We were here

$$\begin{pmatrix} m + \infty \cdot \delta(0,0) + \infty \cdot \delta(1,0) & 0 & 0 \\ \infty \cdot \delta(0,0) + \infty \cdot \delta(1,0) + w \cdot \delta(2,0) & m & 0 \\ \infty \cdot \delta(0,0) + \infty \cdot \delta(1,0) + w \cdot \delta(2,0) & 0 & m \end{pmatrix}$$

But we want

$$\begin{aligned} x1' &\leq \max(x1, x2+x3) \\ \wedge \quad x2' &\leq x2 \quad \wedge \quad x3' \leq x3 \end{aligned}$$



```
void main(int x1, int x2)
{
    x1 = x2 + x2;
    while(x1 < 10){
        x1 = x1 * x1;
    }
}
```

When derivation fails

Problematic flows:

$x1 \rightarrow x1$

$x2 \rightarrow x1$

**pymwp** is an automatic static analyzer for subset of C code,  
to determine if variables' value growth is polynomially bounded.

run in terminal



```
pip install pymwp  
pymwp file.c
```

run in browser

[statycc.github.io/pymwp/demo](http://statycc.github.io/pymwp/demo)