

Keyboard Shortcuts Cheat Sheet

<https://csci-1301.github.io/about#authors>

November 2, 2023 (01:03:19 PM)

Contents

1	Foreword	1
2	Useful Shortcuts	2
2.1	Build solution	2
2.2	Exit any program*	2
2.3	Redo*	2
2.4	Run/execute program	2
2.5	Save*	2
2.6	Save All*	2
2.7	Undo*	3

1 Foreword

This document contains useful keyboard shortcuts for different operating systems and IDEs. We use the following symbols:

Symbol	Common Name
↑	Shift
↵	Option (or Alt)
⌘	Command (or Cmd)
↵	(Carriage) Return

The sections labeled with the star symbol (“*”) work generally everywhere, beyond your IDE.

More advanced shortcuts may be available to your particular IDE:

- For Visual Studio for Windows, refer to the documentation¹,
- For Visual Studio for MacOS, refer to the documentation²
- For Rider, refer to the documentation³,
- For MonoDevelop, you can refer to this cheatsheet⁴ or directly access the key binding panel⁵.

¹<https://docs.microsoft.com/en-us/visualstudio/ide/default-keyboard-shortcuts-in-visual-studio?view=vs-2019>

²<https://docs.microsoft.com/en-us/visualstudio/mac/keyboard-shortcuts?view=vsmac-2019>

³https://www.jetbrains.com/help/rider/mastering_keyboard_shortcuts.html

⁴[https://shortcutworld.com/Xamarin-Studio/win/Xamarin-Studio-\(MonoDevelop\)_Shortcuts](https://shortcutworld.com/Xamarin-Studio/win/Xamarin-Studio-(MonoDevelop)_Shortcuts)

⁵<https://mhut.ch/journal/2011/02/05/monodevelop-tips-key-bindings>

2 Useful Shortcuts

2.1 Build solution

OS	Keys
Linux	Ctrl + ↑ + B
MacOS	⌘ + B
Windows	Ctrl + ↑ + B

2.2 Exit any program*

OS	Keys
Linux	Alt + F4 or Ctrl + q
MacOS	⌘ + q
Windows	Alt + F4

2.3 Redo*

OS	Keys
Linux	Ctrl + y
MacOS	⌘ + y
Windows	Ctrl + y

2.4 Run/execute program

OS	Keys
Linux	Ctrl + F5
MacOS	F5 -or- ⌘ + ⌥ + ↵
Windows	Ctrl + F5

2.5 Save*

OS	Keys
Linux	Ctrl + s
MacOS	⌘ + s
Windows	Ctrl + s

2.6 Save All*

OS	Keys
Linux	Ctrl + ↑ + s
MacOS	⌘ + ↑ + s
Windows	Ctrl + ↑ + s

2.7 Undo*

OS	Keys
Linux	Ctrl + z
MacOS	⌘ + z
Windows	Ctrl + z